

ASSIGNED

ASSIGNED

AMENDED

Serial

No.

22786

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office

SEP 20 1965

New Priority Date:

September 5, 1989

Returned to applicant for correction

OCT 21 1965

Corrected application filed

DEC 20 1965

Map filed

NOV 3 1965

The applicant Dean V. Olson

of Box 2307, Stateline

County of

Douglas

State of Nevada

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is South Logan Creek, aka Logan Shoals

Name of stream, lake or other source.

Creek No. 2

2. The amount of water applied for is 0.5 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal and Domestic

Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 11. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: NE 1/4 NE 1/4 Sec. 22 T. 14 N., R. 18 E.,

M.D.B.&M. or at a point from which the NE corner of said Section 22

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

bears N. 2° E., 1160 ft.

it should be stated.

6. Place of use SE 1/4 NE 1/4 Sec. 22 T. 14 N., R. 18 E., M.D.B.&M.

Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.

Month

Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Small concrete dam, pipe line and

distribution system

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works

Approximately \$30,000.00

10. Estimated time required to construct works

Three years

11. Remarks Total water to be placed under beneficial use pursuant to this application and Permit No. 11672 shall not exceed 1 c.f.s. If this application is approved the distribution works to be constructed will serve the place of use under permit No. 11672 and under permit issued pursuant to this application. Applicant hereunder and as owner of Permit No. 11672, will apply to the Nevada Public Service Commission for a Certificate of Public Convenience to serve an anticipated 100 users under this application and under Permit No. 11672. Said users will include users within the boundaries of the use lands described in Application No. 18556.

Applicant Dean V. Olson

By S/Dean V. Olson

Compared dc/jw

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the 0.5 c.f.s., and not to exceed 27.4 mg annually from all sources herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A meter must be installed in the discharge pipeline near the point of diversion and accurate measurement must be kept of water placed to beneficial use. This permit is subject to the final allocation of the State of Nevada under the California-Nevada Interstate Compact Commission. The State retains the right to regulate the use of the water herein granted at any and all times.

CANCELLED APR 26 2001 7:30 PM MGA
BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
J. L. Lucci, P.E. &
STATE ENGINEER

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second but not to exceed 27.4 mg annually from all sources.

Actual construction work shall begin on or before June 2, 1970

Proof of commencement of work shall be filed before July 2, 1970

Work must be prosecuted with reasonable diligence and be completed on or before June 2, 1971

Proof of completion of work shall be filed before July 2, 1971

Application of water to beneficial use shall be made on or before June 2, 1974

Proof of the application of water to beneficial use shall be filed on or before July 2, 1974

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed JUL 7 1970

Completion of work filed JUL 7 1970

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded Bk. Page

County Recorded

WITNESS MY HAND AND SEAL this 2nd day of December, 1969.

AUG 11 1989

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Abrogated By 09108 0.009

200090.012 69950 0.006

can be recorded 31.745 ENGINEER